

New 2022 Edition 2>Plafo

## 62148L/BBS/W



48W LED Decorative Plafo, IP20, suitable for residential and commercial application.

Complete with 1200mA driver.

Complies with standard EN60598-1 and any other specific standards.



### Downloads



### Dimensions



### Gallery






### Physical Specification

|            |                    |
|------------|--------------------|
| Item Group | New 2022 Edition 2 |
| Family     | Plafo              |
| Order Code | 62148L/BBS/W       |
| Colour     | Brushed Brass      |
| Material   | Aluminium          |
| Shape      | Circular           |
| Height     | 57mm               |


|                 |       |
|-----------------|-------|
| Diameter        | 580mm |
| Surface Ceiling | Yes   |
| Indoor          | Yes   |
| Adjustable      | No    |

## Electrical Characteristics


|                  |   |
|------------------|---|
| Gear             | Built In  |
| Fitting + Driver |   |
| Input Voltage    | 220-240V  |
| 50 Hz            | Yes   |
| 60 Hz            | Yes   |
| Safety Class     |  |
| Power(Watts)     | 48W   |
| IP Rating        | IP20  |
| Light Source     | LED built in  |
| Dimmable         | No  |
| F Mark           |  |

|               |   |
|---------------|---|
| Fitting       |   |
| Input Type    | Constant Current  |
| Input Current | 1200mA  |
| Voltage       | 39V   |
| Power(Watts)  | 46,8W   |
| IP Rating     | IP20  |
| Light Source  | LED built in  |
| LED Type      | SMD 2835  |
| LED Brand     | Bridgelux   |
| F Mark        |  |

|      |  |
|------|--|
| Gear |  |
|------|--|

|                  |   |
|------------------|---|
| Gear Type        | Led Driver  |
| Input Voltage    | 220-240V  |
| 50 Hz            | Yes   |
| 60 Hz            | Yes   |
| Power(Watts)     | 36-48W  |
| Power Factor     | 0,9   |
| Constant Current | Yes   |
| 1200mA           | 30-40V  |
| IP Rating        | IP20  |
| Safety Class     |  |
| Dimmable         | No  |
| Output Terminal  | Cable   |
| Brand            | KEGU  |

#### Illumination Data

|                      |   |
|----------------------|---|
| Colour Temperature   | 3000K   |
| Lumen Output         | 4080lm  |
| Light Efficiency     | 85lm/W  |
| CRI                  | 80  |
| Illumination Diagram |  |

#### Packing Info

|            |               |
|------------|---------------|
| Box Weight | 4.900kg       |
| Pcs/Carton | 1             |
| Barcode    | 5291889071846 |
| HS Code    | 9405409900    |

Certification & Warranty

Warranty

3 Years

Weee Directive

Yes

switch to  
**one light!**

one  
LIGHT

