

## 16 Decorative &gt; LED Circle Rings

## 62156C/B/W



65W LED Pendant , IP20 suitable for residential and commercial application.

Complete with 1600mA driver.


Complies with standard EN60598-1 and any other specific standards.



## Downloads






## Dimensions




## Physical Specification

Item Group	16 Decorative
Family	LED Circle Rings
Order Code	62156C/B/W
Colour	Black
Material	Aluminium
Shape	Circular
Height	3000mm
Diameter	1270mm
Suspended Ceiling	Yes
Indoor	Yes
Adjustable	No


Gear	Built In
Fitting + Driver	
Input Voltage	220-240V
50 Hz	Yes
60 Hz	Yes
Safety Class	
Power(Watts)	65W
IP Rating	IP20
Light Source	LED built in
Dimmable	No
F Mark	

Fitting	
Input Type	Constant Current
Input Current	1600mA
Voltage	35V
Power(Watts)	56W
IP Rating	IP20
Light Source	LED built in
LED Type	SMD 2835
LED Brand	Bridgelux
F Mark	

Gear	
Gear Type	Led Driver
Input Voltage	220-240V
50 Hz	Yes
60 Hz	Yes
Power(Watts)	44,8-57,6W

Power Factor	0,9
Constant Current	Yes
1600mA	28-36V
IP Rating	IP20
Safety Class	
Dimmable	No
Housing Material	Plastic
Output Terminal	Cable
Brand	BOKE

### Illumination Data

Colour Temperature	3000K
Lumen Output	4300lm
Light Efficiency	66,15lm/W
CRI	80
Illumination Diagram	

### Packing Info

Box Weight	4.600kg
Pcs/Carton	1
Carton Weight	5,7Kg
Barcode	5291889064688
HS Code	9405413990

### Certification & Warranty

switch to  
**one light!**

one  
LIGHT

