$O_{\text{L} I G H T} e$

Product Datasheet

www.1-light.eu

18 Decorative>LED Circle Rings

62156D/B/W



100W LED Pendant , IP20 suitable for residential and commercial application .

Complete with 2x1200mA drivers.

Complies with standard EN60598-1 and any other specific standards.



Downlo	ads		
Į Į	IES	$^{\circ}\bigcirc$	ςε

Dimensions



Physical Specification

Item Group	18 Decorative
Family	LED Circle Rings
Order Code	62156D/B/W
Colour	Black
Material	Aluminium
Shape	Circular
Height	3000mm

Diameter	1800mm
Suspended Ceiling	Yes
Indoor	Yes
Adjustable	No



Gear	Built In
Fitting + Driver	
Input Voltage	220-240V
50 Hz	Yes
60 Hz	Yes
Safety Class	
Power(Watts)	100W
IP Rating	IP20
Light Source	LED built in
Dimmable	No
F Mark	F

bl

Fitting

Input Type	Constant Current
Input Current	1200mA
Voltage	2x40V
Power(Watts)	96W
IP Rating	IP20
Light Source	LED built in
LED Type	SMD 2835
LED Brand	Bridgelux
F Mark	F

Gear Type	Led Driver
Input Voltage	220-240V
50 Hz	Yes
60 Hz	Yes
Power(Watts)	36-50,4W



Power Factor	0,9 Pobrano z mamadecor.pl
Constant Current	Yes
1200mA	30-42V
IP Rating	IP20
Safety Class	
Dimmable	No
Housing Material	Plastic
Output Terminal	Cable
Brand	BOKE

Illumination Data

Colour Temperature	3000K
Lumen Output	6500lm
Light Efficiency	65lm/W
CRI	80
Illumination Diagram	

Packing Info

Box Weight	9,2Kg
Pcs/Carton	1
Carton Weight	9,2Kg
Barcode	5291889064664
HS Code	9405409900



Certification & Warranty	Pobrano z mamadecor.pl
Warranty	2 Years
Weee Directive	Yes

switch to one light!



