

18 Decorative > LED Pendant Rings

63050/B



40W LED Pendant , IP20 suitable for residential and commercial application .

Complete with 24V driver.

Complies with standard EN60598-1 and any other specific standards.



Downloads



Dimensions



Physical Specification

Item Group	18 Decorative
Family	LED Pendant Rings
Order Code	63050/B
Colour	Black
Material	Aluminium + Steel
Shape	Circular
Diameter	700mm
Suspended Ceiling	Yes
Indoor	Yes
Adjustable	No

Electrical Characteristics

Fitting + Driver

Input Voltage

220-240V

50 Hz

Yes

60 Hz

Yes

Safety Class



Power(Watts)

40W

IP Rating

IP20

Light Source

LED built in

Dimmable

No

F Mark



Fitting

Input Type

Constant Voltage

Input Voltage

24V DC

Safety Class



Power(Watts)

40W

IP Rating

IP20

Light Source

LED built in

LED Type

SMD 2835

LED Brand

Epistar

F Mark



Gear

Gear Type

Led Driver

Input Voltage

220-240V

50 Hz

Yes

60 Hz

Yes

Power(Watts)


40W

Power Factor


0,9

Constant Voltage

Yes

24 V	Yes
IP Rating	IP20
Safety Class	
Dimmable	No
Housing Material	Plastic
Output Terminal	Cable
Brand	Anway


Illumination Data

Colour Temperature	3000K
Lumen Output	2250lm
Light Efficiency	56,25lm/W
CRI	80
Illumination Diagram	

Packing Info

Pcs/Carton	1
Barcode	5291889056614
HS Code	9405409900

Energy Label



Certification & Warranty

Warranty

2 Years

Weee Directive

Yes

switch to
one light!

one
LIGHT

