

Product Datasheet

www.1-light.eu

14 Plafo>The LED Plafo Outdoor Round

67280N/W/W



16W LED plafo light, IP65, ideal for both indoor and outdoor installation.

Supplied with non-dimmable LED driver.

Complies with standard EN60598-1 and any other specific standards.











Downloads









Dimensions



Physical Specification

Item Group	14 Plafo
Family	The LED Plafo Outdoor Round
Order Code	67280N/W/W
Colour	White
Material	Plastic
Diffuser Material	PC
Shape	Circular
Height	75mm
Diameter	260mm
Surface Ceiling	Yes
Indoor	Yes
Outdoor	Yes

Adjustable	No	Pobrano z mamadecor.p
IK Rating	8	
atrical Charactaristics		
ctrical Characteristics		
Gear	Built In	
Fitting + Driver		
nput Voltage	220-240V	
50 Hz	Yes	
60 Hz	Yes	
Safety Class		
Power(Watts)	16W	
IP Rating	IP65	
Light Source	LED built in	
Dimmable	No	
F Mark	F	
Fitting		
Input Type	Constant Current	
Input Current	500mA	
Voltage	30V	
Power(Watts)	15W	
IP Rating	IP65	
Light Source	LED built in	
LED Type	SMD 2835	
LED Brand	Epistar	
LED Number	81	
F Mark	F	
Gear		
Gear Type	Led Driver	

Input Voltage	Pobrano z mamadecor.pl
50 Hz	Yes
60 Hz	Yes
Power(Watts)	8,5-16W
Power Factor	0,9
Constant Current	Yes
500mA	19-32V
IP Rating	IP20
Safety Class	
Dimmable	No
Housing Material	Plastic
Output Terminal	Connector
Brand	Eaglerise
Ilumination Data	
	000014
Colour Temperature	3000K
Lumen Output	960lm
Lumen Output Light Efficiency	960lm 60lm/W
Light Efficiency	60lm/W
Light Efficiency CRI	60lm/W
Light Efficiency CRI	60lm/W
Light Efficiency CRI Illumination Diagram Packing Info	60lm/W 80
Light Efficiency CRI Illumination Diagram Packing Info Box Length	60lm/W 80
CRI Illumination Diagram Packing Info Box Length Box Width	60lm/W 80 27cm 27cm
CRI Illumination Diagram Packing Info Box Length Box Width Box Height	60lm/W 80 27cm 27cm 8cm
CRI Illumination Diagram Packing Info Box Length Box Width	60lm/W 80 27cm 27cm
CRI Illumination Diagram Packing Info Box Length Box Width Box Height	60lm/W 80 27cm 27cm 8cm
Light Efficiency CRI Illumination Diagram Packing Info Box Length Box Width Box Height Box Weight	60lm/W 80 27cm 27cm 8cm 0.980kg
Light Efficiency CRI Illumination Diagram Packing Info Box Length Box Width Box Height Box Weight Pcs/Carton	60lm/W 80 27cm 27cm 8cm 0.980kg

Warranty	2 Years
Weee Directive	Yes



