

## 14 Plafo > Outdoor Slim LED Plafo Die cast

## 67362A/AN/W



25W LED slim plafo, IP54, ideal for both indoor and outdoor installation.

Supplied with non-dimmable LED driver.


Complies with standard EN60598-1 and any other specific standards.



### Downloads



### Dimensions



### Physical Specification

Item Group	14 Plafo
Family	Outdoor Slim LED Plafo Die cast
Order Code	67362A/AN/W
Colour	Anthracite
Material	Die Cast
Shape	Rectangular
Length	238mm
Width	238mm
Height	46mm
Surface Ceiling	Yes
Indoor	Yes
Outdoor	Yes

## Electrical Characteristics

## Gear

## Built In

## Fitting + Driver

Input Voltage

220-240V

50 Hz

Yes

60 Hz

Yes

Safety Class



Power(Watts)

25W

IP Rating

IP54

Light Source

LED built in

Dimmable

No

F Mark



## Fitting

Input Type

Constant Current

Input Current

350mA

Voltage

55V

Power(Watts)

19,25W

IP Rating

IP54

Light Source

LED built in

LED Type

SMD 2835

LED Brand

Osram

LED Number

264

F Mark




## Gear

Gear Type


Led Driver

Input Voltage

220-240V

50 Hz	Yes
60 Hz	Yes
Power(Watts)	17-25W
Power Factor	0,9
Constant Current	Yes
350mA	48-72V DC
IP Rating	IP20
Safety Class	
Dimmable	No
Housing Material	Plastic
Output Terminal	Cable
Brand	Eaglerise

#### Illumination Data

Colour Temperature	3000K
Lumen Output	1600lm
Light Efficiency	75lm/W
CRI	80
Beam Angle	120°
Illumination Diagram	

#### Packing Info

Box Length	25,5cm
Box Width	25,5cm
Box Height	6,5cm
Box Weight	1.225kg
Pcs/Carton	8
Barcode	5291889039419
HS Code	9405409900

Certification & Warranty

Warranty

2 Years

Weee Directive

Yes

switch to  
**one light!**

one  
LIGHT

