67384/W/W

www.1-light.eu

O_{LIGHT}

Product Datasheet

14 Plafo>Outdoor Project LED Plafo Die cast



30W LED slim plafo, IP54, ideal for both indoor and outdoor installation.

Supplied with non-dimmable LED driver.

Complies with standard EN60598-1 and any other specific standards.



Downloads	Dimensions
	340mm – 50mm

Physical Specification

Item Group	14 Plafo
Family	Outdoor Project LED Plafo Die cast
Order Code	67384/W/W
Colour	White
Material	Die Cast
Shape	Circular
Height	50mm

Diameter	340mm
Surface Ceiling	Yes
Indoor	Yes
Outdoor	Yes
Adjustable	No



т			4
3	ectrical	(:narac	teristics
1.	Contoar	Unarac	

Gear	Built In
Fitting + Driver	
Input Voltage	100-240V
50 Hz	Yes
60 Hz	Yes
Safety Class	
Power(Watts)	30W
IP Rating	IP54
Light Source	LED built in
Dimmable	No
F Mark	F

Fitting

Input Type	Constant Current
Input Current	700mA
Voltage	55V
Power(Watts)	19,25W
IP Rating	IP54
Light Source	LED built in
LED Type	SMD 3014
LED Brand	Edison
LED Number	299
F Mark	F

Led Driver
100-240V
Yes
Yes



Power(Watts)	19,6-30W	Pobrano z mamadecor.pl
Power Factor	0,9	
Constant Current	Yes	
700mA	28-43V	
IP Rating	IP20	
Safety Class		
Dimmable	No	
Housing Material	Plastic	
Output Terminal	Cable	
Brand	Eaglerise	

Illumination Data

Colour Temperature	3000K
Lumen Output	2500lm
Light Efficiency	83,33lm/W
CRI	80
Illumination Diagram	

Packing Info

Box Length	25,5cm
Box Width	25,5cm
Box Height	6,5cm
Box Weight	2.300kg
Pcs/Carton	4
Barcode	5291889046592

HS Code

9405409900



Warranty	2 Years
Weee Directive	Yes

switch to one light!

Certification & Warranty





Pobrano z mamadecor pl