## **Product Datasheet**

www.1-light.eu

## 14 Plafo>The LED Super Slim Plafo Round

## 67404M/W/W



12W LED slim plafo light, IP40, suitable for residential and commercial application.

Supplied with non-dimmable LED driver.

Complies with standard EN60598-1 and any other specific standards.



Downloads









Dimensions



## **Physical Specification**

Item Group	14 Plafo
Rom Group	
Family	The LED Super Slim Plafo Round
Order Code	67404M/W/W
Colour	White
Material	Aluminium
Diffuser Material	PC
Shape	Circular
Height	48mm
Diameter	250mm
Surface Ceiling	Yes
Indoor	Yes
Adjustable	No

Electrical Characteristics	
Gear	Built In
Fitting + Driver	
Input Voltage	100-240V
50 Hz	Yes
60 Hz	Yes
Safety Class	
Power(Watts)	12W
IP Rating	IP40
Light Source	LED built in
Dimmable	No
F Mark	F
Fitting	
Input Type	Constant Current
IP Rating	IP40
Light Source	LED built in
LED Type	SMD 2835
LED Brand	Epistar
F Mark	F
Gear	
Gear Type	Led Driver
Input Voltage	100-240V
50 Hz	Yes
60 Hz	Yes
Power(Watts)	12W
Constant Current	Yes

IP Rating	Pobrano z mamadecor.pl
Safety Class	
Dimmable	No
Illumination Data	
Colour Temperature	3000K
Lumen Output	1100lm
Light Efficiency	91,67m/W
CRI	80
Illumination Diagram	
Packing Info	
Tacking into	
Box Length	26cm
Box Width	6cm
Box Height	26cm
Box Weight	0.780kg
Pcs/Carton	20
Carton Length	60cm
Carton Width	54cm
Carton Height	29cm
Carton Weight	15,6Kg
Barcode	5291889056959
HS Code	9405114090

Yes

switch to one light!

Weee Directive

