

09 Track Lights&gt;The COB Cylinder Range

**65632T/W/W**

35W track spot with COB LED, ideal for shops and showrooms.

Supplied with electronic high frequency control driver as standard.

Complies with standard EN60598-1 and any other specific standards.



## Downloads



## Dimensions



## Gallery



## Related items



40002A/W



40003A/W

## Physical Specification

Item Group

09 Track Lights

Family

The COB Cylinder Range

Order Code	65632T/W/W
Colour	White
Material	Aluminium
Shape	Circular
Height	145mm
Diameter	110mm
Track mounted	Yes
Indoor	Yes
Adjustable	2 Directions


## Electrical Characteristics


Gear	Built In
------	----------

## Fitting + Driver


Input Voltage	220-240V
50 Hz	Yes
60 Hz	Yes
Safety Class	
Power(Watts)	35W
IP Rating	IP20
Light Source	LED built in
Dimmable	No

## Fitting

Input Type	Constant Current
Input Current	900mA
Voltage	37V
Safety Class	
Power(Watts)	33,3W
IP Rating	IP20
Light Source	LED built in

LED Type	COB
LED Brand	Lumileds
Gear	
Gear Type	Led Driver
Input Voltage	220-240V
50 Hz	Yes
60 Hz	Yes
Power(Watts)	21-30W
Power Factor	0,95
Constant Current	Yes
700mA	30-43V
IP Rating	IP20
Safety Class	
Dimmable	No
Ambient Temp	50°C
Operating Temp	80°C
Housing Material	Plastic
Output Terminal	Connector
Brand	Tridonic
Protection	Short Circuit Protection

## Illumination Data

Colour Temperature	3000K
Lumen Output	3200lm
Light Efficiency	91,42lm/W
CRI	80
Beam Angle	36°
Illumination Diagram	

## Packing Info

Box Length	31cm
Box Width	13,5cm
Box Height	13,5cm
Box Weight	1,48kg
Pcs/Carton	9
Barcode	5291889050216
HS Code	9405409900

#### Certification & Warranty

Warranty	3 Years
Average Lifetime	30000hours
Weee Directive	Yes

switch to  
**one light!**

one  
LIGHT

