

Product Datasheet

www.1-light.eu

09 Track Lights>The COB Cylinder Track Light Aluminium

65642AT/B/C



10W track spot with COB LED, ideal for shops and showrooms.

Supplied with electronic high frequency control driver as standard.

Complies with standard EN60598-1 and any other specific standards.



Downloads









Dimensions



Gallery



Related items



40001A/B



40002A/B



40003A/B

Physical Specification

Item Group

09 Track Lights

Family

The COB Cylinder Track Light Aluminium

Order Code	65642AT/B/C	Pobrano z mamadecor.pl
Colour	Black	
Material	Aluminium	
Shape	Circular	
Height	147mm	
Diameter	55mm	
Track mounted	Yes	
Indoor	Yes	
Adjustable	2 Directions	
Electrical Characteristics		
Gear	Built In	

Electrical Characteristics	
Electrical Characteristics	
Gear	Built In
Fitting + Driver	
Input Voltage	220-240V
50 Hz	Yes
60 Hz	Yes
Safety Class	
Power(Watts)	10W
IP Rating	IP20
Light Source	LED built in
Dimmable	No
Fitting	
Input Type	Constant Current
Input Current	250mA
Voltage	38V
Safety Class	
Power(Watts)	9,5W
IP Rating	IP20

LED built in

Light Source

LED Type	СОВ	Pobrano z mamadecor.pl
LED Brand	Sanan	
Gear		
Gear Type	Led Driver	
Input Voltage	220-240V	
50 Hz	Yes	
60 Hz	Yes	
Power(Watts)	6-10W	
Power Factor	0,9	
Constant Current	Yes	
250mA	25-40V	
IP Rating	IP20	
Safety Class		
Dimmable	No	
Ambient Temp	50°C	
Operating Temp	80°C	
Housing Material	Plastic	
Output Terminal	Connector	
Brand	Lifud	
Protection	Short Circuit Protection	
Ilumination Data		
Colour Temperature	4000K	
Lumen Output	900lm	
Light Efficiency	90lm/VV	
CRI	90	
Beam Angle	38°	
Illumination Diagram		

Packing Info

Box Length	22cm	Pobrano z mamadecor.pl
Box Width	8,5cm	
Box Height	8,5cm	
Box Weight	0.554kg	
Pcs/Carton	24	
Barcode	5291889053897	
HS Code	9405413990	

Certification & Warranty

Warranty	3 years
Weee Directive	Yes



