

09 Track Lights>The COB Cylinder Track Light Aluminium

65642CT/W/C

30W track spot with COB LED, ideal for shops and showrooms.

Supplied with electronic high frequency control driver as standard.

Complies with standard EN60598-1 and any other specific standards.



Downloads



Dimensions



Gallery



Related items



40001A/W



40002A/W



40003A/W

Physical Specification

Item Group

09 Track Lights

Family

The COB Cylinder Track Light Aluminium

Order Code	65642CT/W/C
Colour	White
Material	Aluminium
Shape	Circular
Height	200mm
Diameter	90mm
Track mounted	Yes
Indoor	Yes
Adjustable	2 Directions


Electrical Characteristics


Gear	Built In
------	----------

Fitting + Driver


Input Voltage	220-240V
50 Hz	Yes
60 Hz	Yes
Safety Class	
Power(Watts)	30W
IP Rating	IP20
Light Source	LED built in
Dimmable	No

Fitting

Input Type	Constant Current
Input Current	750mA
Voltage	38V
Safety Class	
Power(Watts)	28,5W
IP Rating	IP20
Light Source	LED built in

LED Type	COB
LED Brand	Sanan
Gear	
Gear Type	Led Driver
Input Voltage	220-240V
50 Hz	Yes
60 Hz	Yes
Power(Watts)	19-30W
Power Factor	0,9
Constant Current	Yes
750mA	25-40V
IP Rating	IP20
Safety Class	
Dimmable	No
Ambient Temp	50°C
Operating Temp	80°C
Housing Material	Plastic
Output Terminal	Connector
Brand	Lifud
Protection	Short Circuit Protection

Illumination Data

Colour Temperature	4000K
Lumen Output	2700lm
Light Efficiency	90lm/W
CRI	90
Beam Angle	38°
Illumination Diagram	

Packing Info

Box Length	27cm
Box Width	10,5cm
Box Height	10,5cm
Box Weight	0.960kg
Pcs/Carton	15
Barcode	5291889053958
HS Code	9405413990

Certification & Warranty

Warranty	3 years
Weee Directive	Yes

switch to
one light!

one
LIGHT

