

09 Track Lights>The Zoomable Range

65650T/B/C



30W COB LED adjustable beam 20°-60° Track Spot

Complete with 750mA driver.

Complies with standard EN60598-1 and any other specific standards.



Downloads



Dimensions



Related items



40002A/B



40003A/B

Physical Specification

Item Group

09 Track Lights

Family

The Zoomable Range

Order Code

65650T/B/C

Colour

Black

Material

Aluminium

Shape

Circular

Height

200mm

Diameter	90mm
Track mounted	Yes
Indoor	Yes
Adjustable	2 Directions

Electrical Characteristics

Gear	Built In
------	----------

Fitting + Driver


Input Voltage	220-240V
50 Hz	Yes
60 Hz	Yes
Safety Class	
Power(Watts)	30W
IP Rating	IP20
Light Source	LED built in
Dimmable	No

Fitting


Input Type	Constant Current
Input Current	750mA
Voltage	38V
Power(Watts)	28,5W
IP Rating	IP20
Light Source	LED built in
LED Type	COB
LED Brand	Citizen

Gear

Gear Type	Led Driver
Input Voltage	220-240V

50 Hz	Yes
60 Hz	Yes
Power(Watts)	25-30W
Power Factor	0,9
Constant Current	Yes
750mA	33-40V
IP Rating	IP20
Safety Class	
Brand	Lifud

Illumination Data

Colour Temperature	4000K
Lumen Output	2400lm
Light Efficiency	80lm/W
CRI	80
Beam Angle	20°-60°
Illumination Diagram	

Packing Info

Box Length	27cm
Box Width	10,5cm
Box Height	10,5cm
Pcs/Carton	15
Barcode	5291889061120
HS Code	9405409900

Certification & Warranty

Warranty

3 Years

Weee Directive

Yes

switch to
one light!

one
LIGHT

