

20 Garden & Underwater>LED Path Lights Die cast

67490/B/W



6,5W Garden Light, IP54.

Complete with 300mA driver


Complies with standard EN60598-1 and any other specific standards.



Downloads



Dimensions



Physical Specification

| | |
|----------------------|--------------------------|
| Item Group | 20 Garden & Underwater |
| Family | LED Path Lights Die cast |
| Order Code | 67490/B/W |
| Colour | Black |
| Material | ABS |
| Diffuser Material | PC |
| Shape | Circular |
| Height | 300mm |
| Diameter | 165mm |
| Surface Floor/Ground | Yes |
| Outdoor | Yes |
| Adjustable | No |

Electrical Characteristics

Gear

Built In

Fitting + Driver

Input Voltage

220-240V

50 Hz

Yes

60 Hz

Yes

Safety Class



Power(Watts)

6,5W

IP Rating

IP54

Light Source

LED built in

Dimmable

No

F Mark



Fitting

Input Type

Constant Current

Input Current

300mA

Voltage

20V

Power(Watts)

6W

IP Rating

IP54

Light Source

LED built in

LED Type

SMD

LED Brand

Epistar

Gear

Gear Type

Led Driver

Input Voltage


220-240V

50 Hz


Yes

60 Hz

Yes

| | |
|------------------|---|
| Power(Watts) | 3,6-7,2W |
| Power Factor | 0,9 |
| Constant Current | Yes |
| 300mA | 12-24V |
| IP Rating | IP20 |
| Safety Class |  |
| Dimmable | No |
| Housing Material | Plastic |
| Brand | Eaglerise |

Illumination Data

| | |
|----------------------|---|
| Colour Temperature | 3000K |
| Lumen Output | 600lm |
| Light Efficiency | 92,3lm/W |
| CRI | 80 |
| Illumination Diagram |  |

Packing Info

| | |
|------------|---------------|
| Pcs/Carton | 6 |
| Barcode | 5291889066194 |
| HS Code | 9405104090 |

Certification & Warranty

Warranty

2 Years

Pobrano z mamadecor.pl

Weee Directive

Yes

switch to
one light!

one
LIGHT

