


19 Wall Recessed & Inground > Outdoor Wall Colours Recessed Stainless steel

68001/R



1,6W LED recessed wall light, IP54, ideal for, indoor and outdoor, corridors and stairs illumination.

Supplied with box for concrete installation


Complies with standard EN60598-1 and any other specific standards.



Downloads



Dimensions



Gallery



Physical Specification

Item Group

19 Wall Recessed & Inground

Family

Outdoor Wall Colours Recessed Stainless steel

Order Code

68001/R

Colour

Stainless Steel

Material

Stainless Steel

Diffuser Material



Glass


Shape

Rectangular


Length	105mm
Width	105mm
Cutout Hole Width	97mm
Cutout Hole Length	97mm
Recessed wall	Yes
Depth Required	65mm
Indoor	Yes
Outdoor	Yes
Adjustable	No

Electrical Characteristics

Gear	Built In
Fitting + Driver	
Input Voltage	220-240V
50 Hz	Yes
60 Hz	Yes
Safety Class	
Power(Watts)	1,6W
IP Rating	IP54
Light Source	LED built in
Dimmable	No
F Mark	

Fitting	
Input Type	Constant Current
Power(Watts)	1,6W
IP Rating	IP54
Light Source	LED built in
F Mark	

Gear

Gear Type	Led Driver
Input Voltage	220-240V
50 Hz	Yes
60 Hz	Yes
Power(Watts)	1,6W
Power Factor	0,5
Constant Current	Yes
IP Rating	IP20
Safety Class	
Protection	0


Illumination Data

Colour Temperature	Red
Illumination Diagram	

Packing Info

Box Length	10,5cm
Box Width	14cm
Box Height	14cm
Pcs/Carton	18
Barcode	5291889008408
HS Code	9405409900

Energy Label



Certification & Warranty

Warranty

2 Years

Weee Directive

Yes

switch to
one light!

one
LIGHT

