

19 Wall Recessed & Inground > Indoor/Outdoor Decorative Wall Recessed

68004/AL/W

Aluminium



3W 350mA LED wall recessed light, IP54, ideal for both indoor and outdoor installation.

Requires 350mA driver.

Supplied with box for concrete installation


Complies with standard EN60598-1 and any other specific standards.




## Downloads



## Dimensions



## Gallery



## Must be ordered separately





89004

## Physical Specification

Item Group	19 Wall Recessed & Inground
Family	Indoor/Outdoor Decorative Wall Recessed Aluminium
Order Code	68004/AL/W
Colour	Aluminium
Material	Aluminium
Shape	Rectangular
Length	56mm
Width	56mm
Height	54mm
Cutout Hole Diameter	49mm for Concrete & Gypsum nstallation
Recessed wall	Yes
Depth Required	110mm for Concrete Installation 70mm for Gyprum Installaiton
Indoor	Yes
Outdoor	Yes

## Electrical Characteristics

## Fitting


Input Type	Constant Current
Input Current	350mA
Safety Class	
Power(Watts)	3W
IP Rating	IP54
Light Source	LED built in
LED Type	COB
LED Brand	Luminus
Cable Length	100cm
F Mark	

Colour Temperature	3000K
Lumen Output	120lm
Light Efficiency	40lm/W
CRI	90
Beam Angle	24°
Illumination Diagram	
Dark Light	Yes

## Packing Info

Box Weight	0,330Kg
Pcs/Carton	36
Barcode	5291889049258
HS Code	9405409900

## Energy Label



## Certification &amp; Warranty

Warranty

2 Years

Pobrano z [mamadecor.pl](http://mamadecor.pl)

Weee Directive

Yes

switch to  
**one light!**

one  
LIGHT

