


19 Wall Recessed &amp; Inground&gt;Indoor Square Wall Recessed

68007/B/W



1,5 W Wall recessed LED light, ideal for step and corridor illumination.

Supplied complete with non-dimmable LED driver.


Complies with standard EN60598-1 and any other specific standards.




## Downloads



## Dimensions



## Gallery



## Physical Specification

Item Group

19 Wall Recessed &amp; Inground

Family

Indoor Square Wall Recessed

Order Code

68007/B/W

Colour

Black

Material

Plastic

Shape



Rectangular

Length

94mm

Width	94mm
Height	35mm
Cutout Hole Width	86mm
Cutout Hole Length	86mm
Recessed wall	Yes
Depth Required	40mm
Indoor	Yes
Adjustable	No

## Electrical Characteristics


Gear	External-Included
Fitting + Driver	
Input Voltage	100-240V
50 Hz	Yes
60 Hz	Yes
Safety Class	
Power(Watts)	1,5W
IP Rating	IP20
Light Source	LED built in
F Mark	

Fitting	
Input Type	Constant Current
Power(Watts)	1,5W
IP Rating	IP20
Light Source	LED built in
LED Brand	Epistar

Gear	
Gear Type	Led Driver

Input Voltage	100-240V
50 Hz	Yes
60 Hz	Yes
Power(Watts)	1,5W
Power Factor	0,5
Constant Current	Yes
IP Rating	IP20
Safety Class	
Housing Material	Plastic
Brand	One Light

### Illumination Data

Colour Temperature	3000K
Lumen Output	70lm
Light Efficiency	46,67lm/W
Illumination Diagram	
Dark Light	Yes

### Packing Info

Box Length	9,7cm
Box Width	5,4cm
Box Height	9,7cm
Box Weight	0,14Kg
Pcs/Carton	50
Barcode	5291889070603
HS Code	9405104090

Certification & Warranty

Warranty

2 Years

Weee Directive

Yes

switch to  
**one light!**

one  
LIGHT

