

19 Wall Recessed &amp; Inground&gt;Indoor/Outdoor Dark Light Wall Recessed

**68030/W/W**

3W LED recessed wall light, IP54, ideal for, indoor and outdoor, corridors and stairs illumination.

Complete 700mA driver.

Supplied with box for concrete installation


Complies with standard EN60598-1 and any other specific standards.



## Downloads



## Dimensions



## Gallery



## Physical Specification

Item Group

19 Wall Recessed &amp; Inground

Family

Indoor/Outdoor Dark Light Wall Recessed

Order Code

68030/W/W

Colour

White

Material

Aluminium

Diffuser Material



Glass


Shape

Circular

Height	45mm
Diameter	62mm
Cutout Hole Diameter	52mm
Recessed wall	Yes
Depth Required	110mm Concrete 50mm Gypsum
Indoor	Yes
Outdoor	Yes
Adjustable	No

## Electrical Characteristics

Gear	Built In
Fitting + Driver	
Input Voltage	100-240V
50 Hz	Yes
60 Hz	Yes
Safety Class	
Power(Watts)	3W
IP Rating	IP54
Light Source	LED built in
Dimmable	No
F Mark	

Fitting	
Input Type	Constant Current
Input Current	700mA
Voltage	4V
Safety Class	
Power(Watts)	2,8W
IP Rating	IP54
Light Source	LED built in

LED Brand

Cree

Pobrano z mamadecor.pl

F Mark



## Gear

Gear Type

Led Driver

Input Voltage

100-240V

50 Hz

Yes

60 Hz

Yes

Power(Watts)

2,8-3,5W

Power Factor

0,5

Constant Current

Yes

700mA

4-5V

IP Rating

IP20

Safety Class



Brand

HEP

Protection

0

## Illumination Data

Colour Temperature

3000K

Illumination Diagram



Dark Light

Yes

## Packing Info

Box Length

11cm

Box Width

7,5cm

Box Height

7,5cm

Box Weight

0,3Kg

Pcs/Carton

30


Barcode

5291889048695

HS Code

9405409900

## Energy Label



## Certification & Warranty

Warranty

2 Years

Weee Directive

Yes

switch to  
**one light!**

one  
LIGHT

