


19 Wall Recessed &amp; Inground&gt;Indoor/Outdoor Dark Light Wall Recessed

**68032/W/W**

3W LED recessed wall light, IP54, ideal for, indoor and outdoor, corridors and stairs illumination.

Complete with driver.

Supplied with box for concrete installation


Complies with standard EN60598-1 and any other specific standards.



## Downloads



## Dimensions



## Physical Specification

Item Group	19 Wall Recessed & Inground
Family	Indoor/Outdoor Dark Light Wall Recessed
Order Code	68032/W/W
Colour	White
Material	Aluminium
Shape	Rectangular
Length	70mm
Width	70mm
Height	45mm
Cutout Hole Diameter	52mm
Recessed wall	Yes
Depth Required	110mm Concrete 50mm Gypsum

Indoor	Yes
Outdoor	Yes
Adjustable	No

## Electrical Characteristics

Gear	Built In
------	----------

## Fitting + Driver


Input Voltage	100-240V
50 Hz	Yes
60 Hz	Yes
Safety Class	
Power(Watts)	3W
IP Rating	IP54
Light Source	LED built in
Dimmable	No
F Mark	

## Fitting


Input Type	Constant Current
Input Current	700mA
Voltage	4V
Safety Class	
Power(Watts)	2,8W
IP Rating	IP54
Light Source	LED built in
LED Brand	Cree
F Mark	

## Gear

Gear Type	Led Driver
-----------	------------

Input Voltage	100-240V
50 Hz	Yes
60 Hz	Yes
Power(Watts)	2,8-3,5W
Power Factor	0,5
Constant Current	Yes
700mA	4-5V
IP Rating	IP20
Safety Class	
Brand	HEP

### Illumination Data

Colour Temperature	3000K
Illumination Diagram	
Dark Light	Yes

### Packing Info

Box Length	11cm
Box Width	7,5cm
Box Height	7,5cm
Box Weight	0.380kg
Pcs/Carton	30
Barcode	5291889076810
HS Code	9405413990

### Certification & Warranty

switch to  
**one light!**

one  
LIGHT

