

19 Wall Recessed &amp; Inground &gt; Indoor/Outdoor Decorative Wall Recessed

68070/AL/W

Aluminium



1W 350mA LED wall recessed light, IP65, ideal for both indoor and outdoor installation.

Requires 350mA driver.  
Complete with installation box

Complies with standard EN60598-1 and any other specific standards.



## Downloads




## Dimensions



Must be ordered separately



89004



89004T

## Physical Specification

Item Group

19 Wall Recessed &amp; Inground

Family

Indoor/Outdoor Decorative Wall Recessed Aluminium

Order Code

68070/AL/W

Colour

Aluminium

Material

Aluminium



Shape

Circular

|                      |      |
|----------------------|------|
| Height               | 37mm |
| Diameter             | 42mm |
| Cutout Hole Diameter | 30mm |
| Recessed wall        | Yes  |
| Depth Required       | 60mm |
| Indoor               | Yes  |
| Outdoor              | Yes  |
| Adjustable           | No   |
| IK Rating            | 8    |

## Electrical Characteristics

## Fitting

|               |   |
|---------------|---|
| Input Type    | Constant Current  |
| Input Current | 350mA   |
| Voltage       | 2,9V  |
| Safety Class  |  |
| Power(Watts)  | 1W  |
| IP Rating     | IP65  |
| Light Source  | LED built in  |
| LED Type      | COB   |
| LED Brand     | Lumileds  |
| Cable Length  | 200cm   |
| F Mark        |  |

## Illumination Data

|                    |        |
|--------------------|--------|
| Colour Temperature | 3000K  |
| Lumen Output       | 50lm   |
| Light Efficiency   | 50lm/W |
| CRI                | 80     |

Beam Angle

36°

Pobrano z mamadecor.pl

Illumination Diagram



## Packing Info

Box Length

6,5cm

Box Width

6,5cm

Box Height

6,5cm

Pcs/Carton

36


Barcode

5291889057024

HS Code

9405409900

## Energy Label



## Certification & Warranty

Warranty

2 Years

Weee Directive

Yes

switch to  
**one light!**

one  
LIGHT

