

19 Wall Recessed &amp; Inground&gt;Dark Light Step Series Aluminium

68074/B/W



2W 700mA LED wall recessed light, IP65, ideal for both indoor and outdoor installation.

Requires 700mA driver.

Complies with standard EN60598-1 and any other specific standards.



## Downloads



## Dimensions



## Must be ordered separately



89004A



89004AT

## Physical Specification

Item Group

19 Wall Recessed &amp; Inground

Family

Dark Light Step Series Aluminium

Order Code

68074/B/W

Colour

Black

Material

Aluminium



Shape

Circular


|                      |      |
|----------------------|------|
| Height               | 45mm |
| Diameter             | 50mm |
| Cutout Hole Diameter | 35mm |
| Recessed wall        | Yes  |
| Depth Required       | 55mm |
| Indoor               | Yes  |
| Outdoor              | Yes  |
| IK Rating            | 8    |

## Electrical Characteristics

## Fitting

|               |   |
|---------------|---|
| Input Type    | Constant Current  |
| Input Current | 700mA   |
| Safety Class  |  |
| Power(Watts)  | 2W  |
| IP Rating     | IP65  |
| Light Source  | LED built in  |
| LED Type      | COB   |
| LED Brand     | Philips   |
| Cable Length  | 200cm   |
| F Mark        |  |


## Illumination Data

|                      |   |
|----------------------|---|
| Colour Temperature   | 3000K   |
| Lumen Output         | 100lm   |
| Light Efficiency     | 50lm/W  |
| CRI                  | 85  |
| Illumination Diagram |  |
| Dark Light           | Yes   |

## Packing Info

|            |               |
|------------|---------------|
| Box Length | 6,5cm         |
| Box Width  | 6,5cm         |
| Box Height | 6,5cm         |
| Pcs/Carton | 100           |
| Barcode    | 5291889058458 |
| HS Code    | 9405409900    |

## Energy Label



## Certification &amp; Warranty

|                |         |
|----------------|---------|
| Warranty       | 2 Years |
| Weee Directive | Yes     |

switch to  
**one light!**

one  
LIGHT

