www.1-light.eu

19 Wall Recessed & Inground>The Inground Medium Series LED Aluminium

Product Datasheet

3W COB LED inground, aluminium, for path illumination, IK08, IP67.

Supplied with non-dimmable LED driver.

Complies with standard EN60598-1 and any other specific standards.




Downloads	Dimensions
	88mm 105mm


Gallery

Physical Specification

Item Group

19 Wall Recessed & Inground







69016B/W

Family

The Inground Medium Series LED Aluminium

Order Code	69016B/W
Colour	Aluminium
Material	Aluminium
Shape	Circular
Height	105mm



Diameter	88mm	Pobrano z mamadecor.pl
Cutout Hole Diameter	77mm	
Inground	Yes	
Depth Required	105mm+300mm drainage	
Indoor	Yes	
Outdoor	Yes	
IK Rating	8	

Electrical Characteristics Gear Built In Fitting + Driver Input Voltage 100-240V 50 Hz Yes 60 Hz Yes Safety Class Power(Watts) 3W IP Rating IP67 Light Source LED built in Dimmable No Cable Length 200cm F F Mark

Fitting

Input Type

Constant Current

Input Current	350mA
Voltage	8V
Power(Watts)	2,8W
IP Rating	IP67
Light Source	LED built in
LED Type	SMD 1208



LED Brand	Edison	Pobrano z mamadecor.pl
Gear		
Gear Type	Led Driver	
Input Voltage	100-240V	
50 Hz	Yes	
60 Hz	Yes	
Power(Watts)	1-4W	
Power Factor	0,5	
Constant Current	Yes	
350mA	3-11V	
IP Rating	IP20	
Safety Class		
Dimmable	No	
Housing Material	Plastic	
Brand	Gallop	

Illumination Data


Colour Temperature	3000K
Lumen Output	100lm
Light Efficiency	33,33lm/W
CRI	80
Illumination Diagram	

Box Length	18,5cm
Box Width	12,5cm
Box Height	12,5cm
Box Weight	0,770Kg
Pcs/Carton	18



Barcode	5291889053477	Pobrano z mamadecor.pl
HS Code	9405409900	

Energy Label



Certification & Warranty

Warranty	2 Years
Weee Directive	Yes

switch to one light!



