

19 Wall Recessed & Inground>The Dark Light Inground Range

69056C/W



9W COB LED inground, IP67.

Requires 24V driver.


Complies with standard EN60598-1 and any other specific standards.



Downloads



Dimensions



Must be ordered separately



89015V

Physical Specification

Item Group

19 Wall Recessed & Inground

Family

The Dark Light Inground Range

Order Code

69056C/W

Colour

Aluminium

Material

Natural Aluminium



Diffuser Material

Glass

| | |
|----------------------|------------------------|
| Shape | Circular |
| Height | 80mm |
| Diameter | 85mm |
| Cutout Hole Diameter | 70mm |
| Inground | Yes |
| Depth Required | 135mm + 300mm drainage |
| Indoor | Yes |
| Outdoor | Yes |
| Adjustable | No |
| IK Rating | 8 |

Electrical Characteristics

Fitting

| | |
|---------------|---|
| Input Type | Constant Voltage |
| Input Voltage | 24V DC |
| Safety Class |  |
| Power(Watts) | 9W |
| IP Rating | IP67 |
| Light Source | LED built in |
| LED Type | COB |
| LED Brand | Prolight |
| Cable Length | 200cm |
| F Mark |  |

Illumination Data

| | |
|--------------------|--------|
| Colour Temperature | 3000K |
| Lumen Output | 720lm |
| Light Efficiency | 80lm/W |
| CRI | 80 |

Beam Angle

38°

Pobrano z mamadecor.pl

Illumination Diagram



Dark Light

Yes

Packing Info

Pcs/Carton

24


Barcode

5291889064299

HS Code

9405409900

Energy Label



Certification & Warranty

Warranty

3 Years

Weee Directive

Yes

switch to
one light!

one
LIGHT

