


Product Datasheet

www.1-light.eu

19 Wall Recessed & Inground>The Trimless Inground Range

69060/B/W



6W COB LED inground, IP67, for path illumination.

Supplied with non-dimmable LED driver.

Complies with standard EN60598-1 and any other specific standards.



Downloads









Dimensions



Gallery



Physical Specification

19 Wall Recessed & Inground
The Trimless Inground Range
69060/B/W
Black
Die Cast
Glass
Circular


Height	92mm Pobrano z mamadecor.pi
Diameter	98mm
Cutout Hole Diameter	136mm
Inground	Yes
Depth Required	150mm+300mm drainage
Indoor	Yes
Outdoor	Yes
Adjustable	No
IK Rating	8
Electrical Characteristics	
Gear	Built In
Eitting L Driver	
Fitting + Driver	
Input Voltage	100-240V
50 Hz	Yes
60 Hz	Yes
Safety Class	
Power(Watts)	6W
IP Rating	IP67
Light Source	LED built in
Dimmable	No
Cable Length	200cm
F Mark	F
Fitting	
Input Type	Constant Current
Input Current	500mA
Voltage	10V
Safety Class	
Power(Watts)	5W

IP Rating	Pobrano z mamadecor.pl
Light Source	LED built in
LED Type	СОВ
LED Brand	Cree
Gear	
Gear Type	Led Driver
Input Voltage	100-240V
50 Hz	Yes
60 Hz	Yes
Power(Watts)	3-6W
Power Factor	0,9
Constant Current	Yes
500mA	6-12V
IP Rating	IP20
Safety Class	
Dimmable	No
Housing Material	Plastic
Output Terminal	Connector
Brand	Eaglerise
llumination Data	
Colour Temperature	3000K
Lumen Output	460lm
Light Efficiency	76,67lm/W
CRI	80
Beam Angle	25°
Illumination Diagram	

Packing Info

Pcs/Carton	6	Pobrano z mamadecor.pl
Barcode	5291889066149	
HS Code	9405409900	

Energy Label



Certification & Warranty

Warranty	2 Years
Weee Directive	Yes

switch to one light!

