

20 Garden & Underwater>The LED Underwater Range Stainless steel

69066D/C



12W underwater LED spot, IP68.

Underwater only / 2m max depth.

Requires 24V driver.

Complies with standard EN60598-1 and any other specific standards.



Downloads



Dimensions



Gallery



Physical Specification

Item Group

20 Garden & Underwater

Family

The LED Underwater Range Stainless steel

Order Code

69066D/C

Colour

Stainless Steel

Material

Stainless Steel 316

Shape

Circular


Height

122mm


Diameter	190mm
Cutout Hole Diameter	175mm
Recessed wall	Yes
Inground	Yes
Underwater	Yes
Depth Required	130mm
Adjustable	No
IK Rating	10

Electrical Characteristics

Fitting

Input Type	Constant Voltage
Input Voltage	24V DC
Safety Class	
Power(Watts)	12W
IP Rating	IP68
Light Source	LED built in
LED Type	SMD 3030
LED Brand	Bridgelux
LED Number	12
Cable Length	500cm

Illumination Data

Colour Temperature	4000K
Lumen Output	850lm
Light Efficiency	70,83lm/W
CRI	80
Illumination Diagram	

Pcs/Carton	8
Barcode	5291889067368
HS Code	9405409900

Certification & Warranty

Warranty	2 Years
Weee Directive	Yes

switch to
one light!

one
LIGHT

