

21 Industrial & Floodlights > AC LED Floodlights 10-50W

7028CA/B/C



10W AC LED flood light with adjustable mounting bracket.

IP65 rated for outdoor use.


Complies with standard EN60598-1 and any other specific standards.



Downloads



Dimensions



Physical Specification

Item Group	21 Industrial & Floodlights
Family	AC LED Floodlights 10-50W
Order Code	7028CA/B/C
Colour	Black
Material	Die Cast
Diffuser Material	Glass
Shape	Rectangular
Length	105mm
Width	105mm
Height	20mm
Surface Ceiling	Yes
Surface Wall	Yes

Surface Floor/Ground	Yes
Outdoor	Yes
Adjustable	1 Direction

Electrical Characteristics

Gear	No
------	----

Fitting + Driver

Input Voltage	220-240V
50 Hz	Yes
60 Hz	Yes
Safety Class	
Power(Watts)	10W
IP Rating	IP65
Light Source	LED built in
Dimmable	No
Cable Length	30cm
F Mark	

Illumination Data

Colour Temperature	4000K
Lumen Output	900lm
Light Efficiency	90lm/W
CRI	80
Beam Angle	110°
Illumination Diagram	

Packing Info

Box Length	11cm
Box Width	3cm

Box Height	11,5cm
Box Weight	0.235kg
Pcs/Carton	60
Carton Length	50cm
Carton Width	17cm
Carton Height	41.6cm
Carton Weight	14,2Kg
Barcode	5291889055969
HS Code	9405413990

Certification & Warranty

Warranty	2 Years
Weee Directive	Yes

switch to
one light!

one
LIGHT

