Pobrano z mamadecor.pl

www.1-light.eu

$O_{\text{L} \text{I} \text{G} \text{H} \text{T}} e$

Product Datasheet

08 Strips & Profiles>The Blue LED Strips 24V

7820/BL



CE

Flexible LED light strip, with SMD2216 LEDs, 60LEDs/meter, 4,8W/meter.Supplied in 5 meters roll with white PCB and double adhesive tape for a better fixing.

Can be cut every 10cm (6-LED segment).

Requires 24V DC constant voltage LED driver.

Complies with standard EN60598-1 and any other specific standards.



Dimensions

Cut every 10cm (6-LED segment)



Gallery


£);}

Downloads



Accessories





7822



Related items



20030

Physical Specification

Item Group	08 Strips & Profiles
Family	The Blue LED Strips 24V
Order Code	7820/BL
Shape	Rectangular
Length	5000mm
Width	8mm
Surface Ceiling	Yes
Surface Wall	Yes
Surface Floor/Ground	Yes
Indoor	Yes

bl

Electrical Characteristics

Fitting	
Input Type	Constant Voltage
Input Voltage	24V DC
Safety Class	
Power(Watts)	4,8W/m

IP Rating	IP20
Light Source	LED built in
LED Type	SMD 3528
LED Brand	Refond
LED Number	60LEDs/m



llumina	ation	Data
in Gir r r r c		Data

Colour Temperature	Blue
Illumination Diagram	

Packing Info

Box Length	24cm
Box Width	21,5cm
Box Height	2cm
Box Weight	0,19kg
Pcs/Carton	40
Barcode	5291889017646
HS Code	9405409989

Certification & Warranty

Warranty	5 Years
Weee Directive	Yes

switch to one light!



