



09

Track Lights

Pages 291-326

COB LED | SMD LED | LED | GU10 | Rx7s | HQI | PAR30 | E27
 Die cast | Natural aluminium



ADJUSTABLE DARK LIGHT • CE 80 90 2 3 5
CRI CRI YEAR YEAR YEAR



The Cylindrical Track Light




65608T/G/D

65608T | 3x1W | LED | Die cast



IP20
offer




65608T/G/W

65608T | 3x1W | LED | Die cast



IP20
offer



Order Code	Colour	Light Colour	CCT (K)	Watts	Lumen (lm)	Beam Angle	Input	Class		Notes
65608T/G/D	Grey	Daylight	6000K	3x1W	217lm	60°	230V		30	Complete with driver
65608T/G/W	Grey	Warm white	3000K	3x1W	205lm	60°	230V		30	Complete with driver

The COB Dark Light Range



65610AT/W/C


65610AT | 10W | COB LED | Aluminium

DARK LIGHT
IP20
offer

80 CRI
ADJUSTABLE
LED BUILT IN
CE
2 YEAR



65610AT/B/W



65620AT/W/C


65620AT | 20W | COB LED | Aluminium

DARK LIGHT
IP20
offer

80 CRI
ADJUSTABLE
LED BUILT IN
CE
2 YEAR



65620AT/B/W



Order Code	Colour	Light Colour	CCT (K)	Watts	Lumen (lm)	Beam Angle	Input	Class	📦	Notes
65610AT/W/C	White	Cool white	4000K	10W	800lm	38°	230V	⊕	20	Complete with 300mA driver
65610AT/W/W	White	Warm white	3000K	10W	800lm	38°	230V	⊕	20	Complete with 300mA driver
65610AT/B/W	Black	Warm white	3000K	10W	800lm	38°	230V	⊕	20	Complete with 300mA driver
65620AT/W/C	White	Cool white	4000K	20W	1500lm	38°	230V	⊕	10	Complete with 500mA driver
65620AT/W/W	White	Warm white	3000K	20W	1500lm	38°	230V	⊕	10	Complete with 500mA driver
65620AT/B/W	Black	Warm white	3000K	20W	1500lm	38°	230V	⊕	10	Complete with 500mA driver

one



65612T/W/W



65614T/W/W

The COB Track Light Range


Aluminium



65611T | 15W | COB LED | Aluminium

IP20
offer


80 CRI
2 YEAR
LED BUILT IN
ADJUSTABLE
CE



65612T | 30W | COB LED | Aluminium

IP20
offer

80 CRI
2 YEAR
LED BUILT IN
ADJUSTABLE
CE



65614T/W/W


65614T | 45W | COB LED | Aluminium

IP20
offer

80 CRI
2 YEAR
LED BUILT IN
ADJUSTABLE
CE




65614T/B/W



65616T | 50W | COB LED | Aluminium

IP20
offer

80 CRI
2 YEAR
LED BUILT IN
ADJUSTABLE
CE



Order Code	Colour	Light Colour	CCT (K)	Watts	Lumen (lm)	Beam Angle	Input	Class	📦	Notes
65611T/G/W	Grey	Warm white	3000K	15W	1100lm	36°	230V	⊕	12	Complete with 350mA driver
65612T/W/W	White	Warm white	3000K	30W	2300lm	36°	230V	⊕	9	Complete with 700mA driver
65614T/W/W	White	Warm white	3000K	45W	3500lm	36°	230V	⊕	9	Complete with 1000mA driver
65614T/B/W	Black	Warm white	3000K	45W	3500lm	36°	230V	⊕	9	Complete with 1000mA driver
65616T/B/W	Black	Warm white	3000K	50W	4000lm	38°	230V	⊕	6	Complete with 1200mA driver

one



65614NT/W/W



65611NT/W/W

The COB Track Light Range

Aluminium



65611NT/W/C


IP20

65611NT | 15W | COB LED | Aluminium

LED BUILT IN
 ADJUSTABLE
 CE
 80 CRI
 3 YEAR



65611NT/W/W



65612NT/W/C


IP20

65612NT | 30W | COB LED | Aluminium

LED BUILT IN
 ADJUSTABLE
 CE
 90 CRI
 3 YEAR



65612NT/W/W



65614NT/W/C


IP20

65614NT | 42W | COB LED | Aluminium

LED BUILT IN
 ADJUSTABLE
 CE
 90 CRI
 3 YEAR



65614NT/W/W



Order Code	Colour	Light Colour	CCT (K)	Watts	Lumen (lm)	Beam Angle	Input	Class		Notes
65611NT/W/C	White	Cool white	4000K	15W	1300lm	38°	230V		10	Complete with 400mA driver
65611NT/W/W	White	Warm white	3000K	15W	1200lm	38°	230V		10	Complete with 400mA driver
65612NT/W/C	White	Cool white	4000K	30W	2700lm	38°	230V		10	Complete with 750mA driver
65612NT/W/W	White	Warm white	3000K	30W	2700lm	38°	230V		10	Complete with 750mA driver
65614NT/W/C	White	Cool white	4000K	42W	3780lm	38°	230V		10	Complete with 1000mA driver
65614NT/W/W	White	Warm white	3000K	42W	3780lm	38°	230V		10	Complete with 1000mA driver

The COB Track Light Range Aluminium




65611NT/B/C

IP20

65611NT | 15W | COB LED | Aluminium



65611NT/B/W




65612NT/B/C

IP20

65612NT | 30W | COB LED | Aluminium



65612NT/B/W




65614NT/B/C

IP20

65614NT | 42W | COB LED | Aluminium



65614NT/B/W



Order Code	Colour	Light Colour	CCT (K)	Watts	Lumen (lm)	Beam Angle	Input	Class	Box	Notes
65611NT/B/C	Black	Cool white	4000K	15W	1300lm	38°	230V	⊕	10	Complete with 400mA driver
65611NT/B/W	Black	Warm white	3000K	15W	1200lm	38°	230V	⊕	10	Complete with 400mA driver
65612NT/B/C	Black	Cool white	4000K	30W	2700lm	38°	230V	⊕	10	Complete with 750mA driver
65612NT/B/W	Black	Warm white	3000K	30W	2700lm	38°	230V	⊕	10	Complete with 750mA driver
65614NT/B/C	Black	Cool white	4000K	42W	3780lm	38°	230V	⊕	10	Complete with 1000mA driver
65614NT/B/W	Black	Warm white	3000K	42W	3780lm	38°	230V	⊕	10	Complete with 1000mA driver

The Shop PRO Range



65654AT/W/W


IP20

65654AT | 20W | LED | Aluminium

LED BUILT IN
90 CRI
ADJUSTABLE
CE
3 YEAR



65654AT/W/C



65654BT/W/W


IP20

65654BT | 30W | LED | Aluminium

LED BUILT IN
90 CRI
ADJUSTABLE
CE
3 YEAR



65654BT/W/C



65654CT/W/W


IP20

65654CT | 40W | LED | Aluminium

LED BUILT IN
90 CRI
ADJUSTABLE
CE
3 YEAR



65654CT/W/C



65654CTT/W/W


IP20

65654CTT | 40W | LED | Dimmable | Aluminium

LED BUILT IN
90 CRI
TRIMAC DIMMABLE
ADJUSTABLE
CE
3 YEAR



65654CTT/W/C



Order Code	Colour	Light Colour	CCT (K)	Watts	Lumen (lm)	Beam Angle	Input	Class		Notes
65654AT/W/C	White	Cool white	4000K	20W	1800lm	38°	230V		20	Complete with 450mA driver
65654AT/W/W	White	Warm white	3000K	20W	1800lm	38°	230V		20	Complete with 450mA driver
65654BT/W/C	White	Cool white	4000K	30W	2700lm	38°	230V		10	Complete with 750mA driver
65654BT/W/W	White	Warm white	3000K	30W	2700lm	38°	230V		10	Complete with 750mA driver
65654CT/W/C	White	Cool white	4000K	40W	3600lm	38°	230V		10	Complete with 1050mA driver
65654CT/W/W	White	Warm white	3000K	40W	3600lm	38°	230V		10	Complete with 1050mA driver
65654CTT/W/C	White	Cool white	4000K	40W	3600lm	38°	230V		10	Complete with 1000mA dimmable driver
65654CTT/W/W	White	Warm white	3000K	40W	3600lm	38°	230V		10	Complete with 1000mA dimmable driver

The Shop PRO Range



65654AT/B/W


65654AT | 20W | LED | Aluminium



IP20



65654AT/B/C



65654BT/B/W


65654BT | 30W | LED | Aluminium



IP20



65654BT/B/C



65654CT/B/W


65654CT | 40W | LED | Aluminium



IP20




65654CT/B/C



65654CTT/B/W


65654CTT | 40W | LED | Dimmable | Aluminium



IP20



65654CTT/B/C



Order Code	Colour	Light Colour	CCT (K)	Watts	Lumen (lm)	Beam Angle	Input	Class	Box	Notes
65654AT/B/C	Black	Cool white	4000K	20W	1800lm	38°	230V	□	20	Complete with 450mA driver
65654AT/B/W	Black	Warm white	3000K	20W	1800lm	38°	230V	□	20	Complete with 450mA driver
65654BT/B/C	Black	Cool white	4000K	30W	2700lm	38°	230V	□	10	Complete with 750mA driver
65654BT/B/W	Black	Warm white	3000K	30W	2700lm	38°	230V	□	10	Complete with 750mA driver
65654CT/B/C	Black	Cool white	4000K	40W	3600lm	38°	230V	□	10	Complete with 1050mA driver
65654CT/B/W	Black	Warm white	3000K	40W	3600lm	38°	230V	□	10	Complete with 1050mA driver
65654CTT/B/C	Black	Cool white	4000K	40W	3600lm	38°	230V	□	10	Complete with 1000mA dimmable driver
65654CTT/B/W	Black	Warm white	3000K	40W	3600lm	38°	230V	□	10	Complete with 1000mA dimmable driver


The COB Cylinder Track Light Aluminium




65642AT | 10W | COB LED | Aluminium



65642BT | 20W | COB LED | Aluminium



65642CT | 30W | COB LED | Aluminium



Order Code	Colour	Light Colour	CCT (K)	Watts	Lumen (lm)	Beam Angle	Input	Class		Notes
65642AT/W/C	White	Cool white	4000K	10W	900lm	38°	230V		24	Complete with 250mA driver
65642AT/W/W	White	Warm white	3000K	10W	900lm	38°	230V		24	Complete with 250mA driver
65642BT/W/C	White	Cool white	4000K	20W	1800lm	38°	230V		18	Complete with 500mA driver
65642BT/W/W	White	Warm white	3000K	20W	1800lm	38°	230V		18	Complete with 500mA driver
65642CT/W/C	White	Cool white	4000K	30W	2700lm	38°	230V		15	Complete with 750mA driver
65642CT/W/W	White	Warm white	3000K	30W	2700lm	38°	230V		15	Complete with 750mA driver



65642BT/B/C



65642CT/B/C

The COB Cylinder Track Light

Aluminium




65642AT | 10W | COB LED | Aluminium



65642BT | 20W | COB LED | Aluminium



65642CT | 30W | COB LED | Aluminium





Order Code	Colour	Light Colour	CCT (K)	Watts	Lumen (lm)	Beam Angle	Input	Class	Class	Notes
65642AT/B/C	Black	Cool white	4000K	10W	900lm	38°	230V	Ⓛ	24	Complete with 250mA driver
65642AT/B/W	Black	Warm white	3000K	10W	900lm	38°	230V	Ⓛ	24	Complete with 250mA driver
65642BT/B/C	Black	Cool white	4000K	20W	1800lm	38°	230V	Ⓛ	18	Complete with 500mA driver
65642BT/B/W	Black	Warm white	3000K	20W	1800lm	38°	230V	Ⓛ	18	Complete with 500mA driver
65642CT/B/C	Black	Cool white	4000K	30W	2700lm	38°	230V	Ⓛ	15	Complete with 750mA driver
65642CT/B/W	Black	Warm white	3000K	30W	2700lm	38°	230V	Ⓛ	15	Complete with 750mA driver





Dark Light Tubes Track Lights





65656AT | 6W | SMD 5050 | Aluminium




65656BT | 12W | SMD 5050 | Aluminium



65656CT | 24W | SMD 5050 | Aluminium



65656DT | 36W | SMD 5050 | Aluminium





Order Code	Colour	Light Colour	CCT (K)	Watts	Lumen (lm)	Beam Angle	Input	Class	Box	Notes
65656AT/W/W	White	Warm white	3000K	6W	480lm	40°	230V	⊕	28	Complete with 150mA driver
65656BT/W/W	White	Warm white	3000K	12W	960lm	40°	230V	⊕	20	Complete with 350mA driver
65656CT/W/W	White	Warm white	3000K	24W	1920lm	40°	230V	⊕	20	Complete with 700mA driver
65656DT/W/W	White	Warm white	3000K	36W	2880lm	40°	230V	⊕	15	Complete with 1000mA driver





Dark Light Tubes Track Lights





65656AT | 6W | SMD 5050 | Aluminium




65656BT | 12W | SMD 5050 | Aluminium



65656CT | 24W | SMD 5050 | Aluminium



65656DT | 36W | SMD 5050 | Aluminium



Order Code	Colour	Light Colour	CCT (K)	Watts	Lumen (lm)	Beam Angle	Input	Class	Box	Notes
65656AT/B/W	Black	Warm white	3000K	6W	480lm	40°	230V	⊕	28	Complete with 150mA driver
65656BT/B/W	Black	Warm white	3000K	12W	960lm	40°	230V	⊕	20	Complete with 350mA driver
65656CT/B/W	Black	Warm white	3000K	24W	1920lm	40°	230V	⊕	20	Complete with 700mA driver
65656DT/B/W	Black	Warm white	3000K	36W	2880lm	40°	230V	⊕	15	Complete with 1000mA driver



65506BT/B/W



65406BT/B/W

Mirror Square Track Lights

Die cast




65306BT/W/W

IP20

65306BT | 12W | COB LED | Die cast



65306BT/B/W




65506BT/W/W

IP20

65506BT | 20W | COB LED | Die cast



65506BT/B/W



Order Code	Colour	Light Colour	CCT (K)	Watts	Lumen (lm)	Beam Angle	Input	Class	Box	Notes
65306BT/W/W	White	Warm white	3000K	12W	960lm	38°	230V	⊕	30	Complete with 300mA driver
65306BT/B/W	Black	Warm white	3000K	12W	960lm	38°	230V	⊕	30	Complete with 300mA driver
65506BT/W/W	White	Warm white	3000K	20W	1600lm	38°	230V	⊕	20	Complete with 500mA driver
65506BT/B/W	Black	Warm white	3000K	20W	1600lm	38°	230V	⊕	20	Complete with 500mA driver

Mirror Square Track Lights

Die cast




65406BT | 15W | LED | Die cast



IP20

3 YEAR




65906BT | 30W | LED | Die cast



IP20

3 YEAR



Order Code	Colour	Light Colour	CCT (K)	Watts	Lumen (lm)	Beam Angle	Input	Class	Box	Notes
65406BT/W/W	White	Warm white	3000K	15W	1200lm	38°	230V	⊕	24	Complete with 350mA driver
65406BT/B/W	Black	Warm white	3000K	15W	1200lm	38°	230V	⊕	24	Complete with 350mA driver
65906BT/W/W	White	Warm white	3000K	30W	2400lm	38°	230V	⊕	16	Complete with 700mA driver
65906BT/B/W	Black	Warm white	3000K	30W	2400lm	38°	230V	⊕	16	Complete with 700mA driver



65652T/W/W



65644T/W/W


The Honeycomb Range



65644T/W/W

65644T | 8W | COB LED | Dimmable | Aluminium


Complete with honeycomb.



IP20



65644T/B/W



65652T/W/W

65652T | 30W | COB LED | Die cast


Complete with honeycomb.



IP20



65652T/B/W



Order Code	Colour	Light Colour	CCT (K)	Watts	Lumen (lm)	Beam Angle	Input	Class	Box	Notes
65644T/W/W	White	Warm white	3000K	8W	600lm	36°	230V	⌚	24	AC LED
65644T/B/W	Black	Warm white	3000K	8W	600lm	36°	230V	⌚	24	AC LED
65652T/W/C	White	Cool white	4000K	30W	1800lm	24°	230V	⌚	12	Complete with 700mA driver
65652T/W/W	White	Warm white	3000K	30W	1700lm	24°	230V	⌚	12	Complete with 700mA driver
65652T/B/C	Black	Cool white	4000K	30W	1800lm	24°	230V	⌚	12	Complete with 700mA driver
65652T/B/W	Black	Warm white	3000K	30W	1700lm	24°	230V	⌚	12	Complete with 700mA driver



65524T/W/W





65108T/W/W

The COB Compact Cylinder Range




65646T/W/W

65646T | 8W | COB LED | Aluminium





65646T/B/W




65108T/W/W

65108T | 8W | COB LED | Aluminium




65108T/B/W




65524T/W/W

65524T | 12W | COB LED | Aluminium


Honeycomb.



65524T/B/W



65524T/BBS/W



Order Code	Colour	Reflector	Light Colour	CCT (K)	Watts	Lumen (lm)	Beam Angle	Input	Class	Box	Notes
65646T/W/W	White	Black	Warm white	3000K	8W	650lm	36°	230V	⊕	24	AC LED
65646T/B/W	Black	Black	Warm white	3000K	8W	650lm	36°	230V	⊕	24	AC LED
65108T/W/W	White	Black	Warm white	3000K	8W	560lm	36°	230V	⊕	24	Complete with 350mA driver
65108T/B/W	Black	Brass	Warm white	3000K	8W	560lm	36°	230V	⊕	24	Complete with 350mA driver
65524T/W/W	White	Black	Warm white	3000K	12W	1080lm	36°	230V	⊕	24	Complete with 250mA driver
65524T/B/W	Black	Black	Warm white	3000K	12W	1080lm	36°	230V	⊕	24	Complete with 250mA driver
65524T/BBS/W	Brushed brass	Black	Warm white	3000K	12W	1080lm	36°	230V	⊕	24	Complete with 250mA driver



65624T/W/C



65620TA/W/C

The Black Heatsink Range



65628T/W/C


65628T | 15W | COB LED | Aluminium



IP20
offer



65628T/B/C



65620TA/W/C


65620TA | 15W | COB LED | Die cast



IP20
offer




65620TA/W/W



65620T | 20W | COB LED | Aluminium



IP20
offer




Order Code	Colour	Light Colour	CCT (K)	Watts	Lumen (lm)	Beam Angle	Input	Class	📦	Notes
65628T/W/C	White	Cool white	4000K	15W	1200lm	45°	230V	⚡	12	Complete with 400mA driver
65628T/W/W	White	Warm white	3000K	15W	1095lm	45°	230V	⚡	12	Complete with 400mA driver
65628T/B/C	Black	Cool white	4000K	15W	1200lm	45°	230V	⚡	12	Complete with 400mA driver
65620TA/W/C	White	Cool white	4000K	15W	1200lm	45°	230V	⚡	12	Complete with 400mA driver
65620TA/W/W	White	Warm white	3000K	15W	1095lm	45°	230V	⚡	12	Complete with 400mA driver
65620T/W/W	White	Warm white	3000K	20W	1460lm	45°	230V	⚡	12	Complete with 500mA driver

The COB Top Box Range




65618T | 35W | COB LED | Die cast

IP20
 offer
 80 CRI
 3 YEAR
 ADJUSTABLE
 LED BUILT IN
 CE




65619T | 38W | COB LED | Aluminium

IP20
 80 CRI
 3 YEAR
 ADJUSTABLE
 LED BUILT IN
 CE




65624T | 35W | COB LED | Die cast

IP20
 offer
 80 CRI
 3 YEAR
 ADJUSTABLE
 LED BUILT IN
 CE



65638T | 50W | COB LED | Die cast

IP20
 80 CRI
 3 YEAR
 ADJUSTABLE
 LED BUILT IN
 CE



Order Code	Colour	Light Colour	CCT (K)	Watts	Lumen (lm)	Beam Angle	Input	Class	Box	Notes
65618T/W/C	White	Cool white	4000K	35W	3350lm	45°	230V	⊕	12	Complete with 900mA driver
65619T/W/C	White	Cool white	4000K	38W	3200lm	36°	230V	⊕	16	Complete with 900mA driver
65619T/W/W	White	Warm white	3000K	38W	3000lm	36°	230V	⊕	16	Complete with 900mA driver
65619T/B/C	Black	Cool white	4000K	38W	3200lm	36°	230V	⊕	16	Complete with 900mA driver
65619T/B/W	Black	Warm white	3000K	38W	3000lm	36°	230V	⊕	16	Complete with 900mA driver
65624T/W/C	White	Cool white	4000K	35W	3050lm	45°	230V	⊕	12	Complete with 900mA driver
65624T/W/W	White	Warm white	3000K	35W	2950lm	45°	230V	⊕	12	Complete with 900mA driver
65638T/W/C	White	Cool white	4000K	50W	3700lm	36°	230V	⊕	12	Complete with 1200mA driver



The COB Cylinder Range




65632T/W/W

65632T | 35W | COB LED | Aluminium

80
 CRI

3
 YEAR

IP20




65632CT/W/W

65632CT | 50W | COB LED | Die cast

80
 CRI

3
 YEAR

IP20




65632CT/B/W

65632CT | 50W | COB LED | Die cast

80
 CRI

3
 YEAR

IP20




Order Code	Colour	Light Colour	CCT (K)	Watts	Lumen (lm)	Beam Angle	Input	Class		Notes
65632T/W/W	White	Warm white	3000K	35W	3200lm	36°	230V		9	Complete with 900mA driver
65632CT/W/W	White	Warm white	3000K	50W	3750lm	36°	230V		6	Complete with 1250mA driver
65632CT/B/W	Black	Warm white	3000K	50W	3750lm	36°	230V		6	Complete with 1250mA driver

The COB Side Box Range



65630T | 25W | COB LED | Die cast

LED BUILT IN
80 CRI
3 YEAR
ADJUSTABLE
CE




IP20
offer



65626T | 25W | COB LED | Die cast

LED BUILT IN
80 CRI
3 YEAR
ADJUSTABLE
CE




IP20
offer



65226T | 26W | COB LED | Die cast

LED BUILT IN
80 CRI
3 YEAR
ADJUSTABLE
CE




IP20
offer



65622T | 34W | COB LED | Die cast

LED BUILT IN
80 CRI
3 YEAR
ADJUSTABLE
CE



IP20
offer

Order Code	Colour	Light Colour	CCT (K)	Watts	Lumen (lm)	Beam Angle	Input	Class		Notes
65630T/W/W	White	Warm white	3000K	25W	1800lm	45°	100-240V		12	Complete with 580mA driver
65626T/W/C	White	Cool white	4000K	25W	2000lm	45°	100-240V		12	Complete with 580mA driver
65626T/W/W	White	Warm white	3000K	25W	1900lm	45°	100-240V		12	Complete with 580mA driver
65226T/W/W	White	Warm white	3000K	26W	1960lm	30°	100-240V		8	Complete with driver
65622T/W/C	White	Cool white	4000K	34W	3550lm	42°	230V		12	Complete with 900mA driver
65622T/W/W	White	Warm white	3000K	34W	3350lm	42°	230V		12	Complete with 900mA driver

one

Box Series Track Lights




65008T | 10W | LED | Die cast














Order Code	Colour	Light Colour	CCT (K)	Watts	Lumen (lm)	Beam Angle	Input	Class		Notes
65008T/G/D/24	Grey	Daylight	6000K	10W	600lm	24°	230V		12	Complete with driver

Box Series Track Lights




65012T | 50W | MR16 | GU5,3 | Die cast



IP20

offer




65019T | 50W | MR16 | GU10 | Die cast



IP20

offer



65019T/G

65019T/W



65011T | 75W | PAR30 | E27 | Die cast




IP20

offer



Suitable for PAR30 LED lamp.



Order Code	Colour	Watts	Input	Class		Notes
65012T/G	Grey	50W	230V / 12V	⊕	20	Complete with transformer
65019T/W	White	50W	100-240V	⊕	16	-
65019T/G	Grey	50W	100-240V	⊕	16	-
65011T/G	Grey	75W	100-240V	⊕	8	-



65042T/B/W



65040T/B/C

The Track Floodlight Range




65020T/W/W

65020T | 20W | SMD 3030 | Die cast



65020T/B/W




65042T/W/W

65042T | 42W | SMD 2835 | Die cast



65042T/B/W




65040T/W/C

65040T | 40W | COB LED | Aluminium



65040T/B/C



Order Code	Colour	Light Colour	CCT (K)	Watts	Lumen (lm)	Beam Angle	Input	Class		Notes
65020T/W/W	White	Warm white	3000K	20W	1400lm	24°	230V		20	Complete with 600mA driver
65020T/B/W	Black	Warm white	3000K	20W	1400lm	24°	230V		20	Complete with 600mA driver
65042T/W/W	White	Warm white	3000K	42W	3150lm	80°	230V		4	Complete with 1200mA driver
65042T/B/W	Black	Warm white	3000K	42W	3150lm	80°	230V		4	Complete with 1200mA driver
65040T/W/C	White	Cool white	4000K	40W	3600lm	60°	230V		6	Complete with 1050mA driver
65040T/B/C	Black	Cool white	4000K	40W	3600lm	60°	230V		6	Complete with 1050mA driver

The Zoomable Range



65650AT/W/W

IP20


65650AT | 15W | COB LED | Adjustable beam 20°-60° | Aluminium

LED BUILT IN
80 CRI
ADJUSTABLE

3 YEAR



65650AT/B/W



65650T/W/C

IP20


65650T | 30W | COB LED | Adjustable beam 20°-60° | Aluminium

LED BUILT IN
80 CRI
ADJUSTABLE

3 YEAR



65650T/B/C



65648T/B/C

IP20


65648T | 30W | COB LED | Adjustable beam 12°-60° | Aluminium

LED BUILT IN
90 CRI
ADJUSTABLE

3 YEAR



65648T/B/W



Order Code	Colour	Light Colour	CCT (K)	Watts	Lumen (lm)	Beam Angle	Input	Class		Notes
65650AT/W/W	White	Warm white	3000K	15W	1350lm	20°-60°	230V		15	Complete with 350mA driver
65650AT/B/W	Black	Warm white	3000K	15W	1350lm	20°-60°	230V		15	Complete with 350mA driver
65650T/W/C	White	Cool white	4000K	30W	2400lm	20°-60°	230V		15	Complete with 750mA driver
65650T/W/W	White	Warm white	3000K	30W	2300lm	20°-60°	230V		15	Complete with 750mA driver
65650T/B/C	Black	Cool white	4000K	30W	2400lm	20°-60°	230V		15	Complete with 750mA driver
65650T/B/W	Black	Warm white	3000K	30W	2300lm	20°-60°	230V		15	Complete with 750mA driver
65648T/B/C	Black	Cool white	4000K	30W	2550lm	12°-60°	120-240V		12	Complete with 700mA driver
65648T/B/W	Black	Warm white	3000K	30W	2550lm	12°-60°	120-240V		12	Complete with 700mA driver




Adjustable LED Linear Track Light




65024T/W/C

IP20

65024T | 10x5W | COB LED | Linear track light | Aluminium + plastic



65024T/B/C




65026T/W/C

IP20

65026T | 40W | SMD 2835 | Linear track light | Aluminium + plastic



65026T/B/C



Order Code	Colour	Light Colour	CCT (K)	Watts	Lumen (lm)	Beam Angle	Input	Class	Box	Notes
65024T/W/C	White	Cool white	4000K	10x5W	5800lm	30°	230V	⊥	10	Complete with 1200mA driver
65024T/W/W	White	Warm white	3000K	10x5W	5800lm	30°	230V	⊥	10	Complete with 1200mA driver
65024T/B/C	Black	Cool white	4000K	10x5W	5800lm	30°	230V	⊥	10	Complete with 1200mA driver
65024T/B/W	Black	Warm white	3000K	10x5W	5800lm	30°	230V	⊥	10	Complete with 1200mA driver
65026T/W/C	White	Cool white	4000K	40W	3400lm	100°	230V	⊥	10	Complete with 1000mA driver
65026T/W/W	White	Warm white	3000K	40W	3200lm	100°	230V	⊥	10	Complete with 1000mA driver
65026T/B/C	Black	Cool white	4000K	40W	3400lm	100°	230V	⊥	10	Complete with 1000mA driver
65026T/B/W	Black	Warm white	3000K	40W	3200lm	100°	230V	⊥	10	Complete with 1000mA driver

LED Linear Track Light




65024TA/W/W

65024TA | 15x1W | LED | Linear system | Aluminium



65024TA/B/W



65018T/W/W

65018T | 16W | SMD 2835 | Linear light | Aluminium + PC



65018T/B/W



65025T/W/W

65025T | 25W | SMD 2835 | Linear light | Aluminium + PC



65025T/B/W



Order Code	Colour	Light Colour	CCT (K)	Watts	Lumen (lm)	Beam Angle	Input	Class	📦	Notes
65024TA/W/W	White	Warm white	3000K	15x1W	1200lm	30°	230V	Ⓢ	10	AC LED
65024TA/B/W	Black	Warm white	3000K	15x1W	1200lm	30°	230V	Ⓢ	10	AC LED
65018T/W/C	White	Cool white	4000K	16W	1600lm	110°	100-240V	Ⓢ	12	Complete with 400mA driver
65018T/W/W	White	Warm white	3000K	16W	1600lm	110°	100-240V	Ⓢ	12	Complete with 400mA driver
65018T/B/C	Black	Cool white	4000K	16W	1600lm	110°	100-240V	Ⓢ	12	Complete with 400mA driver
65018T/B/W	Black	Warm white	3000K	16W	1600lm	110°	100-240V	Ⓢ	12	Complete with 400mA driver
65025T/W/C	White	Cool white	4000K	25W	2500lm	110°	100-240V	Ⓢ	12	Complete with 600mA driver
65025T/W/W	White	Warm white	3000K	25W	2500lm	110°	100-240V	Ⓢ	12	Complete with 600mA driver
65025T/B/C	Black	Cool white	4000K	25W	2500lm	110°	100-240V	Ⓢ	12	Complete with 600mA driver
65025T/B/W	Black	Warm white	3000K	25W	2500lm	110°	100-240V	Ⓢ	12	Complete with 600mA driver

one



High Power Linear Track Light




65170AT/W/W

IP20

65170AT | 30W | SMD 3030 | Linear track light | Aluminium



65170AT/W/C




65170AT/B/W

IP20

65170AT | 30W | SMD 3030 | Linear track light | Aluminium



65170AT/B/C



Order Code	Colour	Light Colour	CCT (K)	Watts	Lumen (lm)	Input	Class		Notes
65170AT/W/C	White	Cool white	4000K	30W	2700lm	230V		12	Complete with 700mA driver
65170AT/W/W	White	Warm white	3000K	30W	2700lm	230V		12	Complete with 700mA driver
65170AT/B/C	Black	Cool white	4000K	30W	2700lm	230V		12	Complete with 700mA driver
65170AT/B/W	Black	Warm white	3000K	30W	2700lm	230V		12	Complete with 700mA driver

one



High Power Linear Track Light




65170BT/W/W

IP20

65170BT | 60W | SMD 3030 | Linear track light | Aluminium



65170BT/W/C



65170BT/B/W

IP20

65170BT | 60W | SMD 3030 | Linear track light | Aluminium



65170BT/B/C



Order Code	Colour	Light Colour	CCT (K)	Watts	Lumen (lm)	Input	Class	Box	Notes
65170BT/W/C	White	Cool white	4000K	60W	5400lm	230V	⊕	12	Complete with 1500mA driver
65170BT/W/W	White	Warm white	3000K	60W	5400lm	230V	⊕	12	Complete with 1500mA driver
65170BT/B/C	Black	Cool white	4000K	60W	5400lm	230V	⊕	12	Complete with 1500mA driver
65170BT/B/W	Black	Warm white	3000K	60W	5400lm	230V	⊕	12	Complete with 1500mA driver

The Dark Light GU10 Range Round



65105NT/BBS



65105NT/MG




65105NT/W

65105NT | 10W | MR16 | GU10 | Aluminium



Suitable for GU10 LED lamp.




65105NT/B

65105NT | 10W | MR16 | GU10 | Aluminium



Suitable for GU10 LED lamp.




65105NT/BBS

65105NT | 10W | MR16 | GU10 | Aluminium



Suitable for GU10 LED lamp.




65105NT/MG

65105NT | 10W | MR16 | GU10 | Aluminium



Suitable for GU10 LED lamp.



Order Code	Colour	Reflector	Watts	Input	Class		Notes
65105NT/W	White	Black	10W	100-240V		24	-
65105NT/B	Black	Brass	10W	100-240V		24	-
65105NT/BBS	Brushed brass	Black	10W	100-240V		24	-
65105NT/MG	Metal grey	Black	10W	100-240V		24	-



The Dark Light GU10 Range Square




65105NAT | 10W | MR16 | GU10 | Aluminium



DARK LIGHT
IP20



Suitable for GU10 LED lamp.




65105NAT | 10W | MR16 | GU10 | Aluminium



DARK LIGHT
IP20




Suitable for GU10 LED lamp.



Order Code	Colour	Reflector	Watts	Input	Class	Box	Notes
65105NAT/W	White	Black	10W	100-240V	⊕	24	-
65105NAT/B	Black	Brass	10W	100-240V	⊕	24	-

Retro GU10 Track Lights




65105BT | 10W | MR16 | GU10 | Aluminium



CE 5 YEAR

IP20




65105WT | 10W | MR16 | GU10 | Aluminium



CE 5 YEAR

IP20



Order Code	Colour	Watts	Input	Class		Notes
65105BT/W	White	10W	100-240V		30	-
65105BT/B	Black	10W	100-240V		30	-
65105WT/W	White	10W	100-240V		30	-
65105WT/B	Black	10W	100-240V		30	-



65105CT/W

65105CT/W

Cone GU10 Track Lights



65105CT/W

65105CT | 10W | MR16 | GU10 | Aluminium



ADJUSTABLE



5 YEAR




IP20



Complete with Black & Brass reflectors.



Use 7306CG GU10 LED lamp.



65105CT/B

65105CT | 10W | MR16 | GU10 | Aluminium



ADJUSTABLE



5 YEAR




IP20



Complete with Black & Brass reflectors.



Use 7306CG GU10 LED lamp.



65105CT/BBS

65105CT | 10W | MR16 | GU10 | Aluminium



ADJUSTABLE



5 YEAR




IP20



65105CT/MG



Use 7306CG GU10 LED lamp.



Order Code	Colour	Watts	Input	Class		Notes
65105CT/W	White	10W	100-240V		40	-
65105CT/B	Black	10W	100-240V		40	-
65105CT/BBS	Brushed brass	10W	100-240V		40	-
65105CT/MG	Metal grey	10W	100-240V		40	-

MR16 GU10 Track Lights



65105GT



65520T/B

65520T | 10W | MR16 | GU10 | Aluminium




IP20



65520T/W



Suitable for GU10 LED lamp.



65522T/B

65522T | 10W | MR16 | GU10 | Aluminium



DARK LIGHT



IP20



65522T/W



Removable honeycomb.



65519T/B

65519T | 10W | MR16 | GU10 | Aluminium




IP20



65519T/W



Suitable for GU10 LED lamp.




65105GT | 10W | MR16 | GU10 | Polycarbonate




IP20



Suitable for GU10 LED lamp.



Order Code	Colour	Watts	Input	Class	Box	Notes
65520T/W	White	10W	100-240V	⊕	20	-
65520T/B	Black	10W	100-240V	⊕	20	-
65522T/W	White	10W	100-240V	⊕	24	-
65522T/B	Black	10W	100-240V	⊕	24	-
65519T/W	White	10W	100-240V	⊕	12	-
65519T/B	Black	10W	100-240V	⊕	12	-
65105GT	Clear	10W	100-240V	⊕	40	-



GU10 R111 Track Lights




65518T/W

IP20

65518T | 50W | R111 | GU10 | Aluminium



Suitable for R111 LED lamp.




65518T/B

IP20

65518T | 50W | R111 | GU10 | Aluminium



Suitable for R111 LED lamp.




IP20

offer

65514T | 75W | R111 | GU10 | Die cast



Suitable for R111 LED lamp.



Order Code	Colour	Watts	Input	Class		Notes
65518T/W	White	50W	100-240V		12	-
65518T/B	Black	50W	100-240V		12	-
65514T/G	Grey	75W	100-240V		12	-



The E27 Track Lights

Die cast




65111AT/W

IP20

65111AT | 75W | PAR30 | E27 | Die cast



Suitable for PAR30 LED lamp.




65111AT/B

IP20

65111AT | 75W | PAR30 | E27 | Die cast



Suitable for PAR30 LED lamp.




65111AT/G

IP20

65111AT | 75W | PAR30 | E27 | Die cast



Suitable for PAR30 LED lamp.



Order Code	Colour	Watts	Input	Class		Notes
65111AT/W	White	75W	100-240V		40	-
65111AT/B	Black	75W	100-240V		40	-
65111AT/G	Grey	75W	100-240V		40	-



The GU10 Track Lights

Die cast




65118AT/W

IP20

65118AT | 50W | R111 | GU10 | Die cast



Suitable for R111 LED lamp.




65118AT/B

IP20

65118AT | 50W | R111 | GU10 | Die cast



Suitable for R111 LED lamp.




65118AT/G

IP20

65118AT | 50W | R111 | GU10 | Die cast



Suitable for R111 LED lamp.



Order Code	Colour	Watts	Input	Class		Notes
65118AT/W	White	50W	100-240V		40	-
65118AT/B	Black	50W	100-240V		40	-
65118AT/G	Grey	50W	100-240V		40	-