

Even

316





Even



Series of exterior wall lamps equipped with SMD LEDs, die cast aluminium housing electrostatically painted in mat white or dark grey, satin glass diffuser.

Serie de aplicе pentru exterior echipate cu LED-uri SMD, corp din aluminiu turnat sub presiune vopsit în câmp electrostatic în variante de culori alb mat sau gri închis, dispersor din sticlă satinată.

Serie di applique per esterni, equipaggiati con LED SMD, corpo in pressofusione di alluminio, verniciato a polveri nelle varianti colore bianco opaco o grigio scuro, diffusore in vetro satinato.

Серия бра для наружного освещения, оснащенных светодиодами SMD. Алюминиевый корпус, литой под давлением, окрашенный в темно-серый цвет в электростатическом поле, в вариантах цветового исполнения матового белого цвет или, темно-серого цвета, диффузор из сатенированного стекла.


Kültéri fallámpák sorozata, ellátva SMD LED-ekkel. Nyomás alatt öntött alumínium test, elektrosztatikus mezőben matt fehérre vagy sötétszürkére festve, szaténos üveg diszperzórral.

Серия екстериорни аплици, оборудвани с SMD LED-ове, тяло от алуминий, лят под налягане, боядисан в электростатично поле в цветови варианти бял мат или тъмно сиво, разсейвател от сатенирано стъкло.

Séria vonkajších SMD LED nástenných svietidiel, hliníková zliatina matnej bielej, tmavo šedej alebo hrdzavo hnedej farby, saténový sklený difúzor.




318




WALL LAMP • APLICĂ

Type	Code	Finishing	LED type	Input voltage	Power	Luminous Flux Source/system	CCT	CRI
	9152	MWH	SMD LED, 30 pcs.	220-240V	6W	572/320 lm	3000K	80
	9153	DG	SMD LED, 30 pcs.	220-240V	6W	572/320 lm	3000K	80

Dimension



Photometry






WALL LAMP • APLICĂ

Type	Code	Finishing	LED type	Input voltage	Power	Luminous Flux Source/system	CCT	CRI
	9148	MWH	SMD LED, 6 pcs.	220-240V	3W	288/160 lm	3000K	80
	9149	DG	SMD LED, 6 pcs.	220-240V	3W	288/160 lm	3000K	80

Dimension




Photometry




WALL LAMP • APLICĂ

Type	Code	Finishing	LED type	Input voltage	Power	Luminous Flux Source/system	CCT	CRI
	9150	MWH	SMD LED, 6 pcs.	220-240V	3W	288/160 lm	3000K	80
	9151	DG	SMD LED, 6 pcs.	220-240V	3W	288/160 lm	3000K	80

Dimension




Photometry




WALL LAMP • APLICĂ

Type	Code	Finishing	LED type	Input voltage	Power	Luminous Flux Source/system	CCT	CRI
	9626	MWH	SMD LED, 15 pcs.	220-240V	9W	846/420 lm	3000K	80
	9624	DG	SMD LED, 15 pcs.	220-240V	9W	846/420 lm	3000K	80

Dimension




Photometry



WALL LAMP • APLICĂ

Type	Code	Finishing	LED type	Input voltage	Power	Luminous Flux Source/system	CCT	CRI
	9627	MWH	SMD LED, 15 pcs.	220-240V	9W	846/420 lm	3000K	80
	9625	DG	SMD LED, 15 pcs.	220-240V	9W	846/420 lm	3000K	80

Dimension



Photometry

